



ENMED® ENM - 211 Disposable Protective Gown

The ENMED ENM - 211 Protective Gown is designed to protect from low hazard liquid spray. Protective Gowns are designed to protect health professionals and patients from cross infection. These gowns have a barrier protection to fluids with the benefit of increased comfort.

Key Features

- Low lint.
- Latex free.
- Fluid repellent.
- Ultrasonically welded sleeve seams.
- Knitted cuffs for comfort (Optional)

Comfort and Protection



CAT III

Type PB [6]
(EN 13688:2013)



Liquid
Protection

Type PB [6] - Light Liquid Splashes
(EN 13034:2005+A1:2009)



Biohazard

Type PB [6] - B Infective Agents
(EN 14126:2003/AC:2004)

Materials

Fabric: SS/SMS/SMMS/SSMMS Reinforced Triple-layered Medical PE Film Laminated Fabric

Fabric Weight: 40 - 45 GSM

Cuff: Knitted cuff (Optional)

Specifications: Anti-Static, Flame Retardant, UV Stabilizer

Sewing: Ultrasonic/Lockstitch/overlock sewing for sleeves and shoulders.
Overlock sewing for knitted cuff.
Lockstitch for ribbon on the neck.

Belt: 60 cm length, 3 cm width 2 pieces with Ultrasonic spot welding (4 pieces belt is Optional)

Velcro: 5 cm velcro on the neck










Tie: 30 cm on each side is 15 cm

Color: Blue

Storage and Disposal

- Store in dry, clean conditions in original packaging, away from direct sunlight, sources of high temperature, and solvent vapours
- Store within the temperature range -5°C to +25°C and with relative humidity below 80%
- Expected shelf life is three years from date of manufacture when stored as stated
- Replace garments if damaged, heavily contaminated or in accordance with local work practice or regulations

Limited Use

	DO NOT RE USE		DO NOT BLEACH		DO NOT IRON
	DO NOT DRY CLEAN		FLAMMABLE KEEP AWAY FROM SPARKS OF FLAMES		CONSULT INSTRUCTIONS FOR USE
	DO NOT WASH LAUNDERING IMPACTS UPON PROTECTIVE PERFORMANCE		DO NOT MACHINE DRY		CAUTION

Warnings and Limitations

Before use read and understand all user instructions and be sure that the product is suitable for the application and fitted correctly. Product must never be altered or modified. Prior to use inspect the clothing for any damage that could affect its protective function. Replace any damaged clothing. Care should be taken when removing contaminated garments, so as not to contaminate the user with any hazardous substances. If garments are contaminated, then decontamination procedures should be followed prior to removal of the garment. The wearing of chemical protective clothing may cause head stress if appropriate consideration is not given to the workplace environment. Appropriate under garments should be considered to minimize head stress or damage your garment.

Do not use for:

Contact with heavy oils, sparks or flame, or combustible liquids; Environments with high mechanical risks (abrasions, tears, cuts); Environments with conditions of excessive heat.

Approvals

CE approved under PPE Directive (EU) 2016/425, Category III
Certification: Universal Sertifikasyon ve Gözetim Hiz. Tic. Ltd. Şti.
Notified Body Number: 2163

Applications and Performance

Non-Hazardous Particulates	No	Hazardous Dusts & Fibres	No
Non-Hazardous Liquid Splash	No	Hazardous Liquid Splash	No
Non-Hazardous Liquid Spray	Yes	Hazardous Liquid Spray	Yes, if chemical is compatible with suit material
Liquid Continuous Contact/ Immersion	No	Acids/Alkalis	No
Gases and Vapours	No	Organic Solvents	No



BARRIER HIGH




BARRIER LOW

AAMI Level	Liquid Volume	Pressure	Estimated liquid Volume & Operation Time	Application
Level 4	Large Volume	Large	≥ 500ml ≥ 3 hours	Large liquid volume operations & operations for infectious patient
Level 3	Medium Volume	Medium	≥ 100-500ml ≥ 1-3 hours	General operations
Level 2	Small Volume	Small	≤ 100 ml < 1 hour	Simple Operations
Level 1	Very Small Volume	Very Small	Very small volume & very short time	--

Sizing

An appropriate size garment should be selected to allow sufficient movement for the task.

SIZE	HEIGHT	CHEST
S	120 cm	73,5 cm
M	123 cm	75,5 cm
L	126 cm	77,5 cm
XL	130 cm	77,5 cm
2XL	133 cm	79,5 cm



Important Notice

This guide is only an outline. It should not be used as the only means for selecting protective clothing. Before using any protective clothing, the wearer must read and understand the user instructions for each product. Specific country legislation must be observed. If in doubt, contact a safety professional. Selection of the most appropriate PPE will depend on the particular situation and should only be made by a competent person knowledgeable of the actual working conditions and the limitations of PPE.

Final determination as to the suitability of these products for a particular situation is the employer's responsibility. This information is subject to revision at any time. Always read and follow all User Instructions supplied with your Disposable Protective Gown in order to ensure correct operation. If you have questions contact ENMED Technical Service.

LIMITATION OF LIABILITY: Except as provided above, ENMED shall not be liable or responsible for any loss or damage, whether direct, indirect, incidental, special or consequential arising out of the sale, use or misuse of ENMED products, or the user's inability to use such products.

Central Address

Atatürk Mah. 31043 Sk. Kubat Apt.
No: 8/B Mezitli / MERSİN/TURKEY

Organized Industrial Zone Address

Çilek Mah. 63150 Sk. No:3 Akdeniz / MERSİN

Free Zone Mask Factory

Karaduvar Mah. Serbest Bölge 7. Cad. No: 21 33020 Mersin/TURKEY

Free Zone Textile Factory

Karaduvar mahallesi serbest bölge 18. cadde
dış kapı no:9 iç kapı no Z1 Akdeniz/MERSİN